

INDEX MAPS.

T. 15 N, R. 3 E. 2nd Mer.

Meanders 114

	87		87		86		86		85		85	
90	6	114	5	108	4	103	3	99	2	94	1	85
	114		113		108		108		98		93	
90	7	113	8	107	9	103	10	98	11	93	12	84
	113		112		107		102		97		92	
88	18	112	17	107	16	102	15	97	14	92	13	84
	112		111		106		102		96		92	
88	19	111	20	106	21	101	22	96	23	91	24	83
	110		110		106		101		95		91	
88	30	110	29	105	28	100	27	95	26	90	25	83
	109		109		104		99		94		90	
87	31	109	32	104	33	99	34	94	35	90	36	83
	82		82		82		81		81		81	

T. 16 N R. 3 E. 2nd Mer.

Meanders 158

	131		131		131		130		130		130	
133	6	157	5	152	4	148	3	142	2	138	1	129
	157		157		152		147		142		137	
133	7	156	8	151	9	147	10	141	11	137	12	128
	156		156		151		146		141		136	
132	18	155	17	151	16	146	15	140	14	136	13	128
	155		155		150		146		140		136	
132	19	154	20	150	21	145	22	139	23	135	24	128
	154		154		149		144		139		135	
132	30	153	29	149	28	144	27	139	26	135	25	127
	153		153		148		143		138		134	
131	31	152	32	148	33	143	34	138	35	134	36	127
	127		126		126		125		125		125	

The figures on the lines refer to the page.

Township N. 15 North, Range N. 3 East 2, Mer. Indiana

South Boundary

Nest On S. boundary of Sec. 36, T15N. R23E.

15.75 a Hickory 18 in. dia.

40.00 Set the gr. Sec. post, from which
a Hickory 12 in. dia. bear N50 E 28 lks. dist. of
a Beech 10 " " " N E 23 " .

66.25 a Walnut 40 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which
an Ash 8 in. dia. bear N49 E 20 lks. dist. of
an Elm 7 " " " N58 W 12 " "

Over good farming land, timber Beech, Ang-
ar, Ash &c. underg^d. Spruce

Nest On S. boundary of Sec. 35, T15N. R23E.

24.90 a Buckeye 12 in. dia.

40.00 Set the gr. Sec. post, from which
a Beech 14 in. dia. bear N82 E 18 lks. dist. of
an Ash 13 " " " N49 W 22 " "

60.90 an Elm 14 " "

80.00 Set a post Cor. to Sec. 34 & 35, from which
an Elm 20 in. dia. bear S70 W 12 lks. dist. of
a Hornbeam 6 " " " N70 E 8 " "

Over good farming land, timber Ash, Sugar & Elm

Nest On S. boundary of Sec. 34, T14N. R23E.

40.00 Set the gr. Sec. post, from which
an Oak 7 in. dia. bear N58 E 19 lks. dist. of
a No 12 " " " S75 W 19 " .

79.50 a Brook 15 lks. wide Course N.W.

80.00 Set a post Cor. to Sec. 33 & 34, from which
an Ash 12 in. dia. bear N60 E 14 lks. dist. of
an Elm 10 " " " N19 W 7 " .

Over brushy wet swampy land

T15N R3E2 Mer. Indiana

West On S. boundary of Sec. 33, T15N, R3E.
 21.30 a Hickory 20 in. dia.
 40.00 Set the q. Sec. post from which
 a Buckeye 8 in. dia. bears S 72 E 29 lks. dist. &
 a Beech 12 " " " N 64 W 9 " "
 65.85 a Hickory 14 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T15, N, R 3 E from,
 which an Ash 16 in. dia. bears N 86 E 48 lks. dist. &
 a Hackberry 12 " " " N 56 W 41 " "
 Over good farming Land timber Beech Oak Hickory &c.

West On S. boundary of Sec. 32, T15, N, R 3 E.
 31.77 Set a post on left bank of White River, from which
 a Maple 10 in. dia. bears S 16 E 13 lks. dist. &
 a Do 8 " " " N 61 W 27 " "
 35.73 Set a post on Right bank of River, from which
 a Buckeye 9 in. dia. bears S 72 W 9 lks. dist. &
 a Redbud 8 " " " S 33 E 9 " "
 40.00 Set q. Sec. post from which
 an Ash 14 in. dia. bears S 73 E 23 lks. dist. &
 a Buckeye 10 " " " S 11 E 10 " "
 68.50 a Creek 30 lks. wide Course S. E.
 80.00 Set a post Cor. to Sec. 31 & 32, T15, N, R 3 E, from which
 a Buckeye 8 in. dia. bears S 10 E 3 lks. dist. &
 a Do 10 " " " N 22 W 25 " "
 Over rich Overflowed bottom. August. 10th 1819.

West On S. boundary of Sec. 31, T15, N, R 3 E.
 6.75 a. Sugar 22 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 30 in. dia. bears N 60 E 19 lks. dist. &
 a Do 18 " " " S 87 W 47 " "
 68.07 Intersected the N. & S. line between Ranges 2 & 3

T15 N R3 E 2^d Mer. Indiana

E. Towns 14 & 15 at the Corner.

Over good farming Land timber, Beech, Sugar,
Ash &c undergrowth Spice.

East Boundary. var. 6.00. E

North On E. boundary of Sec. 36, T15 N. R3 E.

23.28 a Beech 24 in dia.

25.00 a Creek 50 lbs. wide Course N.W.

40.00 Let the g^r. Sec. post, from which
a W. Ash 8 in dia. bray N44 W 15 lbs. dist. &
an Elm 18 " " " N37 E 30 " "

68.41 a Beech 15 " "

80.00 Let a post Cor. to Sec. 25 & 36, from which
a Beech 14 in dia. bray N62 W 16 lbs. dist. &
a No 18 " " " S50 E 21 " "
good farming land, Beech, Sugar, Elm,
Walnut, W. Oak &c. undergth Spice & prairie

North On E. boundary of Sec. 25, T15 N. R3 E

8.18 a Hickory 27 in dia.

40.00 Let the g^r. Sec. post, from which
a Beech 18 in dia. bray N29 W 9 lbs. dist. &
a No 10 " " " S24 E 44 " "

64.04 a Beech 10 " " "

80.00 Let a post Cor. to Sec. 24 & 25, T15 N. R3 E, from
which a Beech 7 in dia. bray N50 E 19 lbs. dist. &
a Hickory 20 " " " S32 W 46 " "
Rich rolling land, timber on last (mile)

North On E. boundary of Sec. 24, T15 N. R3 E.

14.57 a Hickory 18 in dia.

36.00 a Creek 30 lbs. wide Course N.W.

40.00 Let the g^r. Sec. post, from which

T15N R3E 2^d Mer. Indiana

- a Beech 30 in. dia. - bray N 79 W 8 lks. dist. h
 a Do 12 " " " N 18 E 26 " "
 55.00 a Branch 6 lks. wide Course West
 77.77 a Beech 14 in. dia.
 80.00 at a post Cor. to Sec. 13 & 24, from which
 a Cherry 6 in. dia. - bray N 46 W 3 lks. dist. h
 a Do 7 " " " N 42 E 25 " "
 Good farming land, Beech, Sugar, Elm, ash, Walnut, &c.

- North On E. boundary of Sec. 13, T15N. R3E.
 2.00 a Branch 10 lks. wide Course N.W.
 28.60 a Beech 24 in. dia.
 40.00 at the gr. Sec. post, from which
 an Elm 14 in. dia. - bray S 57 W 3 lks. dist. h
 a Buckeye 12 " " " S 87 E 21 " "
 41.50 a Creek 60 lks. wide Course S.W.
 80.00 at a post Cor. to Sec. 12 & 13, from which
 a Beech 15 in. dia. - bray S 31 E 27 lks. dist. h
 a Maple 20 " " " N 37 W 40 " "
 Land same as last, timber Hackberry Buck-
 eye, some good bottom on Creek. Aug. 9th 1819

- North On E. boundary of Sec. 12, T15N. R3E.
 37.64 a B. Walnut 50 in. dia.
 40.00 at the gr. Sec. post, from which
 a Hickory 9 in. dia. - bray N 86 W 12 lks. dist. h
 a Buckeye 12 " " " N 44 E 16 " "
 68.49 a Beech 25 in. dia.
 80.00 at a post Cor. to Sec. 11 & 12, from which
 a Sugar 10 in. dia. - bray S 39 W 8 lks. dist. h
 a Buckeye 4 " " " N 55 E 13 " "
 good farming land, timber as two last miles

N 5 N. R 3 E. 2^d. Mer. Indiana

North On E. boundary of Sec. 1, N 5 N. R 3 E.

8.50 a Branch 1 1/2 lks. wide Course S.W.

26.00 a Creek 5 lks. wide " S.W.

35.76 a Hackberry 20 in. dia.

40.00 Set the q. Sec. post, from which
a Hackberry 30 in. dia. bray S 24 E 5 lks. dist. of
a Sugar 16 " " " N 54 W 19 " "

80.10 Intersected parallel and set a post cor. to
Town 15 & 16 N. Range 3 & 4 E, from which
a Beech 27 in. dia. bray S 50 W 18 lks. dist. of
a Hackberry 10 " " " N 29 E 12 " "

Rich level land, timber Sugar, Hackberry, Walnut,
Buckeye, Beech &c. undug, ^{too} Spruce & sparrow

North Boundary. Aug. 10th 1819. run. 6.22 E.

West On S. boundary of Sec. 36, N 16 N. R 3 E.

40.00 Set the q. Sec. post from which
a Cherry 9 in. dia. bray N 22 W 15 lks. dist. of
a Buckeye 6 " " " S 67 E 14 " "

44.43 a Beech 24 " "

80.00 Set a post cor. to Sec. 35 & 36, N 16 N. R 3 E, from which
a Cherry 12 in. dia. bray S 51 E 33 lks. dist. of
a Buckeye 7 " " " N 43 E 28 " "

Rich bottom land, timber Sugar, Elm, Buckeye
Hackberry, Walnut, Sycam, undug, ^{too} Spruce & sparrow.

West On S. boundary of Sec. 35, N 16 N. R 3 E

40.00 Set the q. Sec. post, from which
a Hickory 6 in. dia. bray N 10 E 21 lks. dist. of
a Buckeye 9 " " " S 10 W 18 " "

60.15 a W. Oak 20 " "

75.00 to Fall Creek 150 lks. wide Course S.W.

80.00 Set a post cor. to Sec. 34 & 35, N 16 N. R 3 E, from which
an Ash 7 in. dia. bray N 55 W 29 lks. dist. of

T15 N R3 E. 2^d Mer. Indiana

an Elm 7 in. dia. - bear S 74 E 8 lks. dist. of
Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, T16 N. R3 E.

8.50 to Fall Creek 150 lks. wide Course N.W.

15.50 to same 150 " " " S.W.

23.12 a W. Oak 30 in. dia.

40.00 Set the gr. Sec. post, from which

a Blue Ash 22 in. dia. - bear N 42 E. 5 lks. dist. of

a Buckeye 7 " " " S 32 W 10 " "

47.50 Set a post on left bank of M. river (589 wide) from

which a Blue Ash 18 in. dia. - bear N 87 E 16 lks. dist. of

a Do 8 " " " S 12 E 12 " "

53.39 Set a post on Right bank of M. river, from which

a Sycamore 4 in. dia. - bear S 11 E 21 lks. dist. of

a Box Elder 10 " " " N 40 W 29 " "

63.00 a Walnut 24 " "

80.00 Set a post Cor. to Sec. 33 & 34, T16 N. R3 E. from

which a Buckeye 14 in. dia. - bear N 52 E 24 lks. dist.

a Do 12 " " " S 18 W 12 " "

2^d rate bottom, timber Elm, Sugar, Walnut,
Buckeye, Hackberry, undg. th Spruce, prairie &c. viney.

Nest On S. boundary of Sec. 33, T16 N. R3 E.

40.00 Set the gr. Sec. post, from which

a Sugar tree 20 in. dia. - bear S 75 E 20 lks. dist. of

a Hickory 6 " " " N 41 W 12 " "

46.22 a Hackberry 30 " "

80.00 Set a post Cor. to Sec. 32 & 33, T16 N. R3 E. from which

a Buckeye 20 in. dia. - bear S 67 E 33 lks. dist. of

a Sugar 18 " " " S 55 W 27 " "

1st rate land, timber Sugar, Walnut, Buckeye, hack-
berry, Elm &c. undg. th Spruce, prairie - herbage

87

T15N. R3E. 2^d Mer. Indiana

Peavine & nettles. 1/2 dead timber

-
- West On S. boundary of Sec. 32, T16N. R3E.
 38.10 a Walnut 48 in. dia.
 40.00 Let the g. Sec. post, from which
 a Sugar 15 in. dia. bear N49 W 6 lks. dist. of
 an Ash 6 " " " N62 E 14 " "
 59.33 a Cherry 22 " "
 64.00 a Creek 25 lks. wide Course S.E.
 80.00 Let a post Cor. to Sec. 31 & 32, T16N. R3E. from which
 a Sugar tree 25 in. dia. bear S73 W 16 lks. dist. of
 an Elm 7 " " " N32 E 19 " "
 Sand timber & same as on the last mile
-

- West On S. boundary of Sec. 31, T16N. R3E.
 40.00 Let the g. Sec. post, from which
 a Hackberry 7 in. dia. bear N70 W 7 lks. dist. of
 a Sugar tree 21 " " " S53 E 20 " "
 57.91 a Sugar tree 20 " "
 67.46 Intersected the N. & S. line at the corner of
 Township N. 15 & 16 North, Range N. 2 & 3 E.
 This mile 2^d rate bottom land, timber Sugar
 Walnut, Buckeye, Lyrin, Blue Ash &c.
 underg. Spruce, pawpaw & Grape vines &c.
-

- West Boundary var. 6.00' E.
 North On E. boundary of Sec. 36, T15N. R2E.
 15.03 a Beech 14 in. dia.
 29.50 a Brook 3 lks. wide Course E.
 38.85 a Do 3 " " " E.
 40.00 Let the g. Sec. post, from which
 a Sugar 13 in. dia. bear S35 W 43 lks. dist. of
 a Hickory 13 " " " N32 E 30 " "

T15N R3E T. Mer. Indiana

63.75 a Sugar 14 in. dia.

80.00 Set a post Cor. to Sec. 25, T15N. R2E, from which
a Sugar 14 in. dia. bran N12 E 16 lks. dist. of
a Do 10 " " " S79 W 17 " "
Over rich land, timber Beech, Sugar, Ash &c.
undergrowth Spice &c.

North On E. boundary of Sec. 25, T15N. R2E

3.60 a Brook 3 lks. wide Course E.

32.90 a Beech 18 in. dia.

37.40 a Creek 20 lks. wide Course E.

40.00 Set the q. Sec. post, from which
a Beech 22 in. dia. bran N41 W 22 lks. dist. of
a Do 18 " " " S10 E 24 " "

64.55 a Sugar 14 " "

78.00 a Brook 7 lks. wide Course E.

80.00 Set a post Cor. to Sec. 24, T15N. R2E, from which
a Sugar 11 in. dia. bran S29 E 30 lks. dist. of
a Do 10 " " " N30 W 13 " "
Over rich land, timber same as last mile

North On E. boundary of Sec. 24, T15N. R2E.

19.45 a Beech 18 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 24 in. dia. bran S49 E 34 lks. dist.
of a ——— 18 " " " N30 W 24 " "

67.00 a Spanish (O) 40 in. dia.

80.00 Set a post Cor. to Sec. 13, T15N. R2E, from which
a Beech 12 in. dia. bran N30 E 24 lks. dist. of
an Oak 10 " " " S13 E 25 " "
Over rich land, timber same as on last mile

North On E. boundary of Sec. 13, T15N. R2E.

T5 N R3 E 2nd Mer. Indiana

- 6.00 a Brook 6 lks. wide Course E.
 16.50 a do 6 " " " E.
 24.35 an Ash 14 in. dia.
 40.00 Set the gr. Sec. post, from which
 an Ash 10 in. dia. bran N 79° 37' W 37 lks. dist. of
 a Maple 15 " " " N 61° 09 " "
 74.90 an Oak 26 " "
 80.00 Set a post cor. to Sec. 12 & 13, T5 N. R2 E, from which
 a Hickory 8 in. dia. bran S 27° 01' E 14 lks. dist. of
 a Walnut 20 " " " N 37° 17 " "
 Over rich land, timber Oak, Ash &c.

- North On E. boundary of Sec. 12, T5 N. R2 E.
 16.25 a Brook 8 lks. wide Course E.
 33.85 a Beech 14 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Beech 10 in. dia. bran N 27° 06' E 6 lks. dist. of
 a Sugar 12 " " " N 81° 17 " "
 50.80 a Beech 20 " "
 80.00 Set a post Cor. to Sec. 11 & 12, T5 N. R2 E, from which
 a Beech 18 in. dia. bran S 31° 17' W 20 lks. dist. of
 a Sugar 12 " " " N 12° 01' E 18 " "
 Over rich land, timber as on the last mile

- North On E. boundary of Sec. 11, T5 N. R2 E.
 3.80 an Ash 22 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Hickory 13 in. dia. bran S 7° 32' E 32 lks. dist. of
 a Sycamore 14 " " " N 39° 13 " "
 46.50 a Brook 150 lks. wide Course S. E.
 80.70 Set a post Cor. to Township N. 15 & 16 North
 Range, N. 26 & 3 E. from which
 a Hornbeam 10 in. dia. bran N 17° 17' W 27 lks. dist. of

T15 N. R3 E. 2^d. Mer. Indiana

a Beech 18 in. dia. - bray S 55 W 18 lks. dist.
August 11th 1819

Surveyed by John M. McDonald, A.S.

Subdivision.

North Between Secs. 35 & 36, T15 N. R3 E.

3.66 a Hickory 14 in. dia.

18.62 a Sugar 36 " "

40.00 Set the q. Sec. post. from which
a W. Oak 6 in. dia. - bray N 56 W 20 lks. dist. of
a Sugar 4 " " " S 31 E 24 " "

45.32 a Hackberry 14 " "

48.59 a Stream 15 lks. wide Course S. W.

53.00 a Hickory 14 in. dia.

80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which
a W. Oak 24 in. dia. Marked for Corner
a Beech 10 " " bray S 58 W 14 lks. dist. of
a Do 10 " " " N 86 E 30 " "
Land 2^d. rate, timber Oak, Beech, Sugar &c.
and gth. Spruce & bush of various kinds

East Outland^d. between Secs. 25 & 36, T15 N. R3 E.

40.00 Set temp. q. Sec. post

80.45 Intersected the E. boundary of T15 N. R3 E.
11 lks. S. of post - Land 2^d. rate timber as before

West On true line between Secs. 25 & 36, T15 N. R3 E.

40.22 $\frac{1}{2}$. Set q. Sec. post at average dist. from which
a Hornbeam 6 in. dia. - bray N E 2 lks. dist. of
an Ash 20 " " " N 18 W 8 " "

80.45 to Sec. Corner.

North Between Secs. 25 & 26, T15 N. R3 E.

S15 N R3 E. 2^d Mer. Indiana

91

- 1.50 a Locust 24 in. dia.
 40.00 Let the gr. Sec. post, from which
 a Buckeye 5 in. dia. bray N20 E 30 ch. dist. of
 a Sugar 3 " " " S20 W 3 " "
 59.93 a Beech 10 " "
 80.00 Let a post cor. to Sec. 23, 24, 25, 26, from which
 a Beech 24 in. dia. bray N71 W 34 ch. dist. of
 a Do 24 " " " S37 E 36 " "
 Land 2^d rate Oak, Beech, Elm &c.

-
- East On Rand^m between Sec. 24 & 25, S15 N R3 E.
 40.00 Let temp. gr. Sec. post.
 80.75 Intersected the E. boundary 10 ch. N. of post.
 Land timber &c. same as on the last mile

-
- West On true line between Sec. 24 & 25, S15 N R3 E
 40.37 1/2 let gr. Sec. post at average dist. from which
 a Beech 12 in. dia. bray N63 W 19 ch. dist. of
 a Do 12 " " " S83 E 15 " "
 80.75 to Sec. Corner.

-
- North Between Sec. 23 & 24, S15 N R3 E.
 21.90 a Sugar 12 in. dia.
 28.50 a Beech 14 " "
 40.00 Let the gr. Sec. post, from which
 a Sugar 10 in. dia. bray N43 E 21 ch. dist. of
 a Buckeye 12 " " " S58 W 26 " "
 50.60 a Buckeye 12 " "
 54.55 a Stream 20 ch. wide Course West
 69.50 a Cherry 10 in. dia.
 80.00 Let a post cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 24 in. dia. bray N75 E 18 ch. dist. of
 a Sugar 20 " " " S59 W 23 " "

T15N R3E 2^d. Mer Indiana
Land 2^d. rate Oak, Beech, Sugar &c.

East On Plan 7^m between Sec. 13 & 24, T15N R3E.
40.00 Set temp^y. q^r. Sec. post
50.50 a stream 20 lks. wide Course S. W.
81.00 Intersected the N & S. line 5 lks. N. of post
Land 2^d. rate, timber Oak, Beech, Hickory
&c. under Spruce &c.

West On true line betwⁿ Sec. 13 & 24, T15N R3E.
40.50 Set q^r. Sec. post at average dist. from which
a Hickory 3 in. dia. bear N 65 E 24 lks. dist. of
a Sugar 18 " " " S 35 W 29 " "
81.00 to Sec. Corner.

North Between Sec. 13 & 14, T15N R3E.
9.75 an Ash 14 in. dia.
32.26 a Beech 14 " "
40.00 Set the q^r. Sec. post, from which
an Elm 4 in. dia. bear N 66 E 14 lks. dist. of
a Beech 5 " " " S 70 W 8 " "
60.84 a W. Oak 40 " "
70.90 a P. Oak 40 " "
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
a Hickory 18 in. dia. bear N 85 E 5 lks. dist. of
a Beech 5 " " " S 64 W 17 " "
Land 2^d. rate Oak, Beech, Elm, Hickory &c.

East On Plan 7^m betwⁿ Sec. 12 & 13, T13N R3E.
40.00 Set temp^y. q^r. Sec. post
81.69 Intersected the E. boundary 17 lks. N. of post
Land 2^d. rate Oak, Beech, Sugar &c.
(The above line runs along S. boundary of Donation)

T15N R3E 2^d Mer. Indiana

West On true line between Sec. 12 & 13, T15N. R3E.
 40.84 1/2 Set q^r. Sec. post, from which
 a Buckeye 18 in. dia. bray N40W 22 lks. dist. of
 an Elm 4 " " " S37E 19 " "
 81.09 to Sec. Corner.

North Between Sec. 11 & 12, T15N. R3E.
 18.43 a Sugar 24 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Buckeye 10 in. dia. bray N28E 16 lks. dist. of
 a Beech 4 " " " S65W 14 " "
 42.60 a Stream 10 lks. wide Course S.W.
 52.00 Do 10 " " " S.E.
 52.60 an Ash 18 in. dia.
 55.50 the same Stream Course S.W.
 60.90 a Sugar 24 in. dia.
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a R. Walnut 12 in. dia. bray N63W 13 lks. dist. of
 an Elm 24 " " " S62E 34 " "
 Sand P. Oats, Ash, Walnut, Sugar &c. undug.
 Sprucewood, Prickley Ash &c.
 (This line runs through Centre of the Donation)

East On Rand. betwⁿ Sec. 1 & 12, T15N. R3E.
 40.00 Set temp^y. q^r. Sec. post
 47.68 a Stream 10 lks. wide Course S.W.
 82.00 Intersected the E. boundary at the post
 Land & timber same as on the last mile
 (In the Donation for the Seat of Government)

West Corrected on true line between Sec. 1 & 12
 41.00 Set q^r. Sec. post at average dist. from which
 a Hornbeam 4 in. dia. bray S56E 22 lks. dist. of

T15N R3E.2^d Mer. Indiana

a Hornbeam 4 in. diam. bray N50 W30 lks. dist.
82.00 to Sec. Corner.

North Between Sec. 1 & 2, T15N. R3E.

4.65 a P. Walnut 48 in. diam.

8.60 a Sugar 24 in. diam.

40.00 Let the gr. Sec. post, from which
a P. Walnut 36 in. diam. bray N10 W52 lks. dist. of
a Sugar 18 " " " South 5 " "

45.00 a Hackberry 12 " "

80.33 Intersected the N. boundary 213 lks. N. of post
Let a post Cor. to Sec. 1 & 2, from which
a P. Walnut 2 in. diam. bray N10 W25 lks. dist. of
a Hackberry 6 " " " S47 E30 " "
Sand timber &c. Same as on the last mile
(In the donation for the Seat of Government)

North Between Sec. 34 & 35, T15N. R3E.

7.50 a P. Oak 24 in. diam.

36.00 a Sugar 10 " "

40.00 Let the gr. Sec. post, from which
an Ash 4 in. diam. bray N40 W12 lks. dist. of
a Hickory 14 " " " S5 W23 " "

57.70 a Stream 15 lks. wide Course West

71.18 a Beech 12 in. diam.

80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
a Beech 12 in. diam. bray N40 E14 lks. dist. of
a Do 4 " " " S51 W18 " "
Sand &c. rate, timber Oaks, Sugar, Beech, Elm &c.

East On Land 9^m. between Sec. 26 & 35, T15N. R3E.

40.00 Let temp. gr. Sec. post

79.18 Intersected the N. & S. line 78 lks. S. of post

T15 N - R3 E. 2^d. Mer. Indiana

Land 2^d. rate, timber Oak, Beech, Elm &c.
undergth. Spice wood

West On true line between Sec. 26 & 35, T15 N. R3 E.
39.59 Set q^r. Sec. post at average dist. from which
an Elm 10 m. diam. bears S24W 18 lks. dist. of
a Sugar 6 " " " N46 E 17 " "
79.18 to Sec. Corner.

North Between Sec. 26 & 27, T15 N. R3 E.

6.18 a Cherry 12 m. diam.
22.00 a Beech 14 " "
40.00 Set the q^r. Sec. post, from which
a Beech 36 m. diam. bears S27W 19 lks. dist. of
a Do 6 " " " S31 E 8 " "
44.50 a Beech 36 " "
53.39 a W. Oak 14 " "
80.00 Set a post cor. to Sec. 22, 23, 26 & 27, from which
an Ash 40 m. diam. bears N5 E 40 lks. dist. of
a Do 4 " " " S43 N 12 " "
Land 1st. rate Ash, Beech, Elm, Hickory &c

East On Land 9^m. between Sec. 23 & 26, T15 N. R3 E.

40.00 Set temp. q^r. Sec. post
79.00 Intersected the N & S. line at the post
Land 1st. rate, timber Sugar, Ash, Walnut &c.

West On true line between Sec. 23 & 26, T15 N. R3 E.

39.50 Set q^r. Sec. post at average dist. from which
a R. Walnut 30 m. diam. bears N5W 27 lks. dist. of
an Elm 14 " " " S10 E 14 " "
79.00 to Sec. Corner.

T15 N R3 E. 2^d Mer. Indiana

North Between Secs. 22 & 23, T15 N. R3 E.

- 1.83 a Stream 15 lks. wide Course West
 6.00 a Buckeye 14 in. dia.
 26.00 Set a post on left bank of White River, from which
 a Red Bud 10 in. dia. bray N70 E 14 lks. dist. of
 a Buckeye 4 " " " S80 W 6 " "
 30.75 Set a post on right bank of River, from which
 an Elm 14 in. dia. bray N77 W 31 lks. dist. of
 a Sycamore 14 " " " N10 W 11 " "
 40.00 Set the q. Sec. post, from which
 a Hackberry 12 in. dia. bray S33 E 13 lks. dist. of
 a Buckeye 14 " " " N17 W 39 " "
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 a Hackberry 24 in. dia. bray N15 E 22 lks. dist. of
 a Do 6 " " " S9 E 6 " "
 Land 1st rate, Hackberry, Buckeye, Elm &c.

East On Rand. betw. Secs. 14 & 23, T15 N. R3 E.

30.50 to White River S. W.

34.50 to opposite side of River

40.00 Set temp. q. Sec. post

78.00 Intersected the N & S. line 62 lks. N. of post
 Land 1st rate timber as before

West On true line, between Secs. 14 & 23, T15 N. R3 E.

39.90 Set q. Sec. post at average dist. from which
 a Buckeye 4 in. dia. bray N73 W 7 lks. dist. of
 a Hickory 14 " " " S14 W 14 " "43.50 Set a post on left bank of White river, from which
 a Maple 24 in. dia. bray N35 E 13 lks. dist. of
 a Do 20 " " " S88 W 22 " "48.50 Set a post on right bank of River, from which
 an Ash 14 in. dia. bray N12 W 15 lks. dist. of

T15N R3E2nd Mer. Indiana

a Red Bud 2 in. dia. bray N61W16 lks. dist. of
78.00 to Sec. Corner.

North Between Secs. 14 & 15, T15N, R3E.

13.00 an Ash 24 in. dia.

15.81 a Do 36 " "

40.00 Set the q. Sec. post, from which
an Elm 12 in. dia. bray N41E22 lks. dist. of
a Buckeye 5 in. " " S29W25 " "

53.66 an Ash 12 in. dia.

80.00 Set a post cor. to Secs. 10, 11, 14 & 15, from which
a Hackberry 24 in. dia. bray N50E6 lks. dist. of
a Poplar 12 " " " S50W5 " "
Land flat 2nd rate, Lycamore, Ash &c.

East On Rand. between Secs. 11 & 14, T15N, R3E.

10.00 Intersect right bank of W. River S.E.

14.25 to opposite side of River

40.00 Set temp. q. Sec. post

78.50 Intersected the N. S. line 25 lks. S. of post
Land 2nd rate, Beech, Locust, Elm &c

West On true line between Secs. 11 & 14, T15N, R3E.

39.75 Set q. Sec. post, at average dist. from which
a Beech 3 in. dia. bray S27W26 lks. dist. of
a Do 14 " " " N19E32 " "

64.25 Set a post on left bank of River, from which
a Locust 4 in. dia. bray N49E12 lks. dist. of
an Elm 3 " " " S67E6 " "

68.50 Set a post on right bank of River, from which
a Lycamore 36 in. dia. bray S20E43 lks. dist. of
a Do 72 " " " N40E6 " "

78.50 to Sec. Corner.

T15 N R3 E 2^d Mer. Indiana

North Between Sec. 10 & 11, T15 N. R3 E.

16.30 a Sycamore 60 in. dia.

20.19 an Elm 30 " "

40.00 Let the g. Sec. post, from which
a Hackberry 20 in. dia. - bray N16 E 15 lks. dist.
a Buckeye 12 " " " S61 W 39 " "

57.87 a Hackberry 12 " "

80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
a Buckeye 12 in. dia. - bray N31 W 15 lks. dist.
a Do 15 " " " S42 W 27 " "

Land 1st rate, timber, Ash, Sycamore, Walnut &c. underg^d. Pickley Ash &c.

East On Rand. between Sec. 2 & 11, T15 N. R3 E.

18.18 Intersected N. River Course S.

23.50 to Opposite Side of White River

40.00 Let temp. g. Sec. post

78.00 Intersected the N. & S. line 50 lks. S. of post
Land 1st rate, Ash, Walnut, Hackberry &c.
(through the donation lots of Indianapolis)

West On true line between Sec. 2 & 11, T15 N. R3 E.

39.00 Let the g. Sec. post at average dist. from which
a B. Walnut 44 in. dia. - bray North 7 lks. dist.
a Coffeenut 3 " " " S39 E 12 " "

54.50 Let a post on left bank of River, from which
a Hickory — in. dia. - bray N12 E 10 lks. dist.
a Cherry 5 " " " S19 W 10 " "

59.82 Let a post on right bank of River, from which
a Sycamore 15 in. dia. - bray S33 E 4 lks. dist.
a Do 18 " " " N2 E 12 " "

78.00 to Sec. Corner.

N 15 N. R 3 E. 2^d. Mer. Indiana

99

North Between Secs. 26 & 3, N 15 N. R 3 E.

14.00 Set a post on Right bank of River, from which
an Ironwood 10 in. dia. bray S 57 W 16 lbs. dist. 5
an Elm 12 " " " East — " "

18.80 Set a post on left bank of River from which
a Sycamore 14 in. dia. bray N 43 E 17 lbs. dist. 7
a Maple 14 " " " S 57 W 29 " "

38.69 a Hackberry 20 " "

40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bray S 60 W 21 lbs. dist. 5
a Do 8 " " " N 56 W 12 " "

79.28 a stream 50 lbs. wide Course S. W.

81.25 Intersected the N. & S. boundary 15 lbs. E. of post
Set a post Cor. to Secs. 26 & 3, from which
an Ash, 3 in. dia. bray N 33 E 5 lbs. dist. 5
an Elm 12 " " " S 64 W 8 " "
Sand 1st. rate, Ash, Sugar, Walnut &c.

North Between Secs. 33 & 34, N 15 N. R 3 E

38.43 an Elm 3 in. dia.

40.00 Set the q. Sec. post, from which
a Hornbeam 4 in. dia. bray N 26 W 9 lbs. dist. 5
a Do 4 " " " S 24 E 9 " "

57.35 a Hickory 14 " "

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
a Buckeye 12 in. dia. bray N 77 W 22 lbs. dist.
an Elm — " " " S 26 E 29 " "
Sand 1st. 1/2 mile Swamp — 2^d. 1/2 — 2^d. rate

East On Rand. between Secs. 27 & 34, N 15 N. R 3 E.

40.00 Set temp. q. Sec. post

40.05 a stream 20 lbs. wide Course N. W.

80.38 Intersected the N. & S. line 80 lbs. S. of post

T15N R3E. 2^d. Mer. Indiana
Land 2^d. rate, Sycamore, Ash &c.

West On true line between Secs. 27 & 34, T15N. R3E.
40.19 Set of Sec. post at average dist. from which
a Hackberry 12 in. dia. bran. N72W 12 lks. dist. of
a Ruckeye 12 " " N65E 28 " "
80.38 to Sec. Corner.

North Between Secs. 27 & 28, T15N. R3E.
8.00 Set a post on left bank of White River from which
a Hackberry 12 in. dia. bran. N84W 30 lks. dist. of
a Do 14 " " " N77E 60 " "
19.06 Set a post on Right bank of River from which
a Maple 14 in. dia. bran. N63E 3 lks. dist. of
a Do 8 " " " N77W 28 " "
21.06 a Hackberry 14 in. dia.
40.00 Set the of Sec. post, from which
a Box Elder 2 in. dia. bran. N65W 20 lks. dist. of
a Sycamore 8 " " " N53E 49 " "
42.61 Set a post on Right bank of River (S.E.) from which
a Ruckeye 14 in. dia. bran. S57W 18 lks. dist. of
a Do 10 " " " N41E 24 " "
50.19 Set a post on left bank of River, from which
a Cottonwood 12 in. dia. bran. N64E 34 lks. dist. of
a Do 5 " " " S76W 24 " "
55.72 Set a post on Left bank of River, from which
a Cottonwood 3 in. dia. bran. N81W 23 lks. dist. of
a Do 10 " " " S83E 57 " "
63.63 Set a post on Right bank of River, from which
a Hackberry 14 in. dia. bran. N23E 23 lks. dist. of
a Ruckeye 14 " " " S54W 26 " "
77.00 a P. Walnut 48 in. dia.
80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which

T15 N. R3 E. 2^d. Mer. Indiana

a Buckeye 12 in. dia. beam S88 E 34 lks. dist. of
 an Elm 48 " " " S54 W 50 " "
 Sand 2^d. rate, timber Hackberry, Buckeye, Ash,
 Elm, Lycamore &c.

East On Range between Sec. 22 & 27, T15 N. R3 E.

15.00 a Stream 30 lks. wide Course S.E.

29.25 to White River Course South

33.55 to Opposite Side of River

40.00 Set temp. of Sec. post

80.71 Intersected the N & S. line at the post.

Sand 2^d. rate broken with Ranges

West On true line between Sec. 22 & 27, T15 N. R3 E.

40.357 Set of Sec. post at average dist. from which
 a Hackberry 12 in. dia. beam N12 E 40 lks. dist. of
 a Buckeye 10 " " " S6 E 12 " "

47.16 Set a post on left bank of White River, from which
 a Buckeye 12 in. dia. beam N24 E 10 lks. dist. of
 a Hackberry 8 " " " S55 W 37 " "

51.46 Set a post on Right bank of River, from which
 a Lycamore 18 in. dia. beam S5 W 12 lks. dist. of
 an Elm 6 " " " N9 W 28 " "

80.71 to Sec. Corner.

North Between Sec. 21 & 22, T15 N. R3 E

11.00 a Stream 15 lks. wide Course S.E.

23.85 a Lycamore 30 in. dia. beam

36.45 a Do 36 " " "

40.00 Set the of Sec. post, from which

a Cottonwood 2 in. dia. beam N24 E 13 lks. dist. of

a Lycamore 6 " " " N71 W 31 " "

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which

T15 N. R3 E. T. Mer. Indiana

a Box Elder 10 in. dia. bears N65 E 15 lks. dist. of
a Buckeye 10 " " " N69 E 21 " "

This Corner stands in a stream 25 lks. wide course
South. Land 2^d rate, Sycamore, Ash, Beech
underg^m. Spice wood & Prickley Ash

East On Rand^m betwⁿ Sec. 15 & 22, T15 N. R3 E.

40.00 Set the temp^y of Sec. post

80.40 Intersected the N. & S. line 1.00 lks. S. of post
Land 2^d rate timber as before -

West On true line Between Sec. 15 & 22, T15 N. R3 E.

40.20 Set a g^f. Sec. post at average dist. from which
a Buckeye 10 in. dia. bears West 14 lks. dist. &
a Do 10 " " " S55 E 16 " "

80.40 to Section Corner

North Between Sec. 15 & 16, T15 N. R3 E.

24.64 a Sugar 12 in. dia.

40.00 Set g^f. Sec. post from which

a W. Oak 14 in. dia. bears S85 W 18 lks. dist. &
a Do 18 " " " N74 E 35 " "

80.00 Set a post Corner to Sec. 9, 10, 15 & 16. from which
an Elm 12 in. dia. bears N45 E 12 lks. dist. &
a Hickory 3 " " " S74 W 5 " "
Land 2^d rate timber Oak Hickory, Elm &c.
Spice & Pr. Ash.

East On Randome Between Sec. 10, 15, T15 N. R3 E.

40.01 Set the temp^y of Sec. post

80.43 Intersected the N. & S. line 10 lks. N. of post
Land 2^d rate -

T5. N. R3 E. 2^d. Mer. Indiana

West On true line Between Sec. 10 & 15, T5 N, R3 E.
 40. 21 $\frac{1}{2}$ Set a g. Sec. post at average dist. from which
 an Elm 20 in. dia. bears N 32 E 23 lks. dist. 8
 a Sugar 14 " " " S 15 E 10 " "
 70. 45 to Section Corner

North Between Sec. 9 & 10, T5 N R3 E.
 15. 08 a Buckeye 12 in. dia.
 25. 49 a Do 6 " "
 40. 00 Set the g. Sec. post from which
 an Ironwood 8 in. dia. bears N 68 W 2 lks. dist. 8
 a Beech 6 " " " S 68 E 17 " "
 51. 50 a Sugar 30 " "
 60. 50 a Locust 18 " "
 80. 00 Set a post Corner to Sec. 3, 4, 9 & 10, from which
 a Sugar 24 in. dia. bears S 67 W 26 lks. dist. 8
 a Buckeye 4 " " " N 54 E 19 " "
 Land 1st rate timber Sugar, Ash, Walnut, Spice,
 Prickly Ash &c.

East On Random Between Sec. 3 & 10, T5 N, R3 E.
 40. 00 Set the temp. g. Sec. post
 80. 77 Intersected the N. & S. line 5 lks S. of post
 Land 1st rate Sugar, Ash, Beech, &c.

West On true line Between Sec. 3 & 10 T5 N, R3 E.
 40. 38 $\frac{1}{2}$ Set the g. Sec. post at average dist. from which
 a Hickory 14 in. dia. bears N 36 E 22 lks. dist. 8
 a Buckeye 10 " " " S 10 W 41 " "
 80. 77 to Section Corner

North Between Sec. 3 & 4, T5 N, R3 E.
 51. 65 a Sugar 20 in. dia.

T15 N R3 E 2^d Mer. Indiana

- 40.00 Set a q. Sec. post from which
a Buckeye 12 in. dia. bears S 48 E 10 lks. dist. &
a Hickory 3 " " " N 56 W 12 " "
58.90 an Elm 24 " "
82.50 Intersected the N. boundary 98 lks. W. of post
Set a post from which
a Beech 14 in. dia. bears N 36 W 30 lks. dist. &
a Do 9 " " " S 36 E 23 " "
Land R. rate Sugar, Ash, Walnut &c.

-
- North Between Sec. 32 & 33, T15 N, R3 E,
4.62 a Buckeye 20 in. dia.
9.49 a Sugar 9 " "
40.00 Set the q. Sec. post from which
a Hornbeam 10 in. dia. bears N 43 E 13 lks. dist. &
a Do 10 " " " S 57 W 23 " "
51.81 a Buckeye 14 " "
53.25 Set a post on left bank of River, from which
an Ash 4 in. dia. bears N 43 E 23 lks. dist. &
a Pawpaw 4 " " " S 43 W 16 " "
62.50 Set a post on right bank of River, from which
a Hickory 4 in. dia. bears N 21 W 15 lks. dist. &
a Do 3 " " " S. 16 E 5 " "
80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
a Buckeye 14 in. dia. bears S 61 E 48 lks. dist. &
a Do 12 " " " West 21 " "
Land R. rate Buckeye, Ash, Walnut, Spice, Pawpaw.

-
- East On Random Between Sec. 28 & 33, T15 N, R3 E,
7.00 to White River, S. W.
14.38 to opposite Side of River
40.00 Set the temp. q. Sec. post
80.75 Intersected the N. & S. line 37 lks. S. of post

T15 N R3 E 2nd Mer. Indiana

Land 2nd rate.

West On true line Between Sec^s. 28 & 33, T15 N R3 E.
 40.37 1/2 Set q. Sec. post at average dist. from which
 a Hackberry 14 in. dia. bears N 22 E 33 lks. dist. &
 a Do 24 " " " S 5 W 17 " "
 66.37 to left bank from which
 a W. Oak 14 in. dia. bears S 64 E 5 lks. dist. &
 a Red Bud 10 " " " S 64 W 24 " "
 73.75 to Right bank from which
 a Maple 6 in. dia. bears N 60 E 16 lks. dist. &
 a Do 14 " " " S 29 E 14 " "
 80.75 to Section Corner

North Between Sec^s. 28 & 29, T15 N R3 E.
 6.25 Set a post on Right bank of River from which
 a Hickory 4 in. dia. bears S 70 W 12 lks. dist. &
 an Ash 4 " " " S 41 E 11 " "
 12.33 Set a post on Left bank of River, from which
 a Maple 10 in. dia. bears S 70 W 19 lks. dist. &
 an Elm 14 " " " N 40 E 23 " "
 28.00 Set a post on left bank of River from which
 a Hackberry 14 in. dia. bears N 36 E 15 lks. dist. &
 a Red Bud 8 " " " S 16 E 18 " "
 34.00 Set a post on Right bank of River, from which
 a W. Oak 24 in. dia. bears S 56 W 43 lks. dist. &
 a Sugar 20 " " " N 56 E 39 " "
 40.00 Set the q. Sec. post from which
 a W. Oak 4 in. dia. bears N 50 E 19 lks. dist. &
 an Ash 3 " " " S 6 E 6 " "
 42.40 a Hackberry 12 " "
 65.64 a Beech 14 " "
 80.00 Set a post Cor. to Sec^s. 20, 21, 28 & 29, from which

T15N R3E 2nd Mer. Indiana

a W. Oak 30 in. dia. bears S 61 W 3 lks. dist. &
 a Sugar 12 " " " S 52 E 24 " "
 Land 2nd rate Oak, Ash, Elm, Sugar Beech &c.

East On Random Between Sec. 21 & 28, T15N R3E,
 40.00 Set the temp. q. Sec. post
 81.00 Intersected the N. & S. line 1.50 S. of post
 First 1/2 mile impassable Swamp

West On true line Between Sec. 21 & 28, T15N R3E,
 40.50 Set a q. Sec. post at average dist. from which
 a Maple 4 in. dia. bears N 42 E 22 lks. dist. &
 a Do — " " " S 10 W 15 " "
 81.00 To Section Corner

North Between Sec. 20 & 21, T15N R3E,
 26.15 a W. Oak 36 in. dia. be
 35.50 a Do 24 " "
 40.00 Set the q. Sec. post from which
 a Sugar 12 in. dia. bears N 10 E 32 lks. dist. &
 a Do 10 " " " S 20 E 14 " "
 45.65 a Buckeye 14 in. dia.
 54.00 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Hackberry 10 in. dia. bears N 22 W 10 lks. dist. &
 a Hickory 12 " " " S 58 E 10 " "
 Land 1st rate Sugar, Beech, Ash

East On Random Between Sec. 21 & 16, T15N R3E,
 40.00 Set the temp. q. Sec. post
 64.00 a Stream 25 lks wide Course S. E.
 70.00 Same Stream " " N E.
 81.50 Intersected the N & S. line 35 lks. N. of post.

T15 N R3 E, 2^d Mer. Indiana

1st rate land Sugar, Ash, Oak Beech &c.

West On true line Between Secs. 21 & 16, T15 N, R3 E.
 40 . 75 Set a q^l. Sec. post at average dist. from which
 a W. Oak 30 in. dia^l. bears S 39 E 5 lks. dist. &
 a Sugar 12 " " " N 18 W 23 " "
 51 . 50 To Section Corner

North Between Secs. 17 & 16, T15 N, R3 E.
 12 . 20 a Hackberry 10 in. dia^l.
 22 . 19 W. Oak 24 " "
 40 . 00 Set a q^l. Sec. post from which
 a Hackberry 3 in. dia^l. bears N 2 E 10 lks. dist. &
 a Sugar 18 " " " N 76 W 13 " "
 52 . 15 a Hackberry 14 " "
 80 . 00 Set a post Corner To Secs. 8, 7, 16 & 17, from which
 a Sugar 13 in. dia^l. bears N 55 E 50 lks. dist. &
 a Do 14 " " " S 57 W 42 " "
 Land 1st rate Sugar Ash Walnut &c.

East On Pradom Between Secs. 9 & 16, T15 N, R3 E.
 27 . 75 a Stream 25 lks. wide ^{Cor} S. E.
 40 . 00 Set the temp^y. q^l. Sec. post
 51 . 80 Intersected the N. & S. line 36 lks. S. of post
 Land 1st rate Sugar Walnut Ash Spice Pst. Ash.

West On true line Between Secs. 9 & 16, T15 N, R3 E.
 40 . 90 Set a q^l. Sec. post from which
 a Buckeye 10 in. dia^l. bears S 26 E 10 lks. dist. &
 a Beech 14 " " " N 20 E 28 " "
 51 . 80 to Section Corner

North Between Secs. 38 & 9, T15 N, R3 E.

T¹⁵N R³E 2^d Mer. Indiana

- 8.80 a Hackberry 24 in. dia.
 30.50 a Sugar 18 " "
 40.00 Set a q. Sec. post. from which
 a Buckeye 12 in. dia. bears N 19 W 19 ch. dist. 8
 a Hackberry 4 " " " S 37 E 9 " "
 45.17 a Sugar 24 " "
 55.00 a Hackberry 20 " "
 61.50 a Stream 25 lks wide Course East.
 75.00 a Stream 5 " " " S. E.
 80.00 Set a post Corner to Sec. 4, 5, 6, 7, 9. from which
 a W. Oak 14 in. dia. bears N 19 E 22 ch. dist. 7
 a Sugar 18 " " " S 45 W 12 " "
 Land r. rate timber as before -

- East On Random Between Sec. 4 & 9, T¹⁵N R³E.
 40.00 Set the temp. q. Sec. post
 81.50 Intersected the N. & S. line 32 ch N. of post
 Land r. rate Ash, Sugar, Beech, Oak, &c.

- West On true line Between Sec. 4 & 9, T¹⁵N R³E.
 40.75 Set a q. Sec. post at average dist. from which
 a Sugar 14 in. dia. bears S 41 W 22 ch. dist. 8
 a Do 10 " " " N 12 E 23 " "
 81.50 to Section Corner

- North Between Sec. 4 & 5, T¹⁵N R³E.
 18.67 a Hickory 10 in. dia.
 23.23 a W. Oak 24 " "
 40.00 Set a q. Sec. post from which
 a Buckeye 12 in. dia. bears N 3 E 12 ch. dist.
 a Do 10 " " " South 15 " "
 49.58 a Sugar 24 " "
 59.70 a Do 12 " "

T15N R3E 2^d Mer. Indiana

84.00 Intersected the N. boundary 199 ft. of post
 Set a post Corner to Sec. 4 & 5, from which
 an Elm 8 in. dia. bears N 39 E 30 lks. dist. &
 a Hickory 4 " " " S 52 W 49 " "
 Land 1st rate Sugar Ash Walnut Spice P. Ash.

North Between Sec. 31 & 32, T15N R3E,
 6.00 a Stream 3 lks. wide Course E.
 13.35 a Beech 14 in. dia.
 36.95 a Do 14 " "
 40.00 Set a q^r. Sec. post from which
 a Beech 8 in. dia. bears N 37 E 39 lks. dist. &
 an Elm 8 " " " S 52 W 4 " "
 46.00 a B. Oak 14 in. dia.
 49.50 a W. Oak 24 " " "
 80.00 Set a post Corner Sec. 29, 30, 31 & 32, from which
 an Ash 12 in. dia. bears S 28 E 4 lks. dist. &
 a Hornbeam 3 " " " N 46 W 3 " "
 Land 2^d rate Beech, Oak, Sugar, Elm, &c.

East On Random Between Sec. 29, & 32, T15N R3E.
 40.00 Set the temp^y. q^r. Sec. post
 79.61 Intersected the N. & S. line 35 lks. S. of post
 Land 2^d rate Beech, Oak, Elm, &c.

West On true line Between Sec. 29, & 32, T15N R3E,
 39.85% Set a q^r. Sec. post at average dist. from which
 an Ash 7 in. dia. bears S 29 E 27 lks. dist. &
 a Do 4 " " " N 29 W 30 " "
 79.61 to Section Corner

West Between Sec. 31 & 32, T15N R3E.
 40.00 Set the q^r. Sec. post from which

T15 N R3 E 2^d Mer. Indiana

a Beech 10 in. dia. bears S 26^W 24 lks. dist. &
 a Do 12 " " " N 20 E 15 " "
 46.50 a Spring — S. E.
 68.20 Intersected the W. boundary 5.40 lks. wide S. of
 post Set a post from which
 a Beech 10 in. dia. bears S 56^W 15 lks. dist. &
 a Sugar 8 " " " N 76 E 15 " "
 This wide Coming out at this Corner, I attribute to an
 error in the Rangeline, which will be noticed in a proper place

North Between Sec. 29 & 30. T15 N. R3 E.

22.50 a Cherry 14 in. dia. l
 37.50 a W. Oak 48 " "
 40.00 Set a q. Sec. post from which
 a Buckeye 18 in. dia. bear N 83^W 6 lks. dist. &
 a Sycamore 24 " " " N 76 E 11 " "
 53.50 a W Oak 24 " "
 69.21 a Beech 14 " "
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a B. Walnut 18 in. dia. bears N 73^W 19 lks. dist. &
 a Hickory 12 " " " S 66 E 21 " "
 Land 1st rate timber Ash Sugar Oak &c.

East On Random Between Sec. 20 & 29. T15 N. R3 E.

40.00 Set the temp. q. Sec. post
 79.45 Intersected the N. & S. line 100 lks. N. of post
 Land 2^d rate Oak Beech Ash &c.

West On true line Between Sec. 30 & 29. T15 N. R3 E.

39.77 $\frac{1}{2}$ Set a q. Sec. post at average dist. from which
 a Hackberry 14 in. dia. bears S 62^W 13 lks. dist. &
 a Buckeye 14 " " " S 86 E 11 " "
 79.45 to Section Corner

S15 N R3 E 2^d Mer. Indiana

West Between Sec. 19 & 30, S15 N R3 E.
 40.00 Set a g^d Sec. post from which
 a W Oak 4 in. dia. bears S 81 E 16 chs. dist. &
 a Do 10 " " " S 40 W 10 " "
 67.00 Intersected the W. boundary 180 chs. S. of post
 Set a post from which
 a Buckeye 10 in. dia. bears N 65 W 10 chs. dist. &
 a Sugar 10 " " " S 15 W 24 " "
 Land V. rate -

North Between Sec. 19 & 20, S15 N R3 E.
 34.15 a B. Oak 36 in. dia.
 37.15 a Sugar 20 " "
 40.00 Set a g^d Sec. post from which
 an Elm 12 in. dia. bears N 37 E 21 chs. dist. &
 a Linwood 10 " " " S 51 W 32 " "
 42.75 a Beech 24 " "
 51.00 a Sugar 14 " "
 80.00 Set a post Cor. To 17, 18, 19 & 20, from which
 an Ash 4 in. dia. bears N 57 E 12 chs. dist. &
 a Linwood 12 " " " N 76 W 21 " "
 Land V. rate Beech Ash Sugar Oak &c.

East On Pradon Between Sec. 17 & 20, S15 N R3 E.
 40.00 Set the temp^y. g^d Sec. post
 79.00 Intersected the N. & S. line 48 chs. N. of post.
 V. rate Land -

West On true line Between Sec. 17 & 20, S15 N R3 E.
 39.50 Set a g^d Sec. post at average dist. from which
 a Horn 8 in. dia. bears N 2 E 17 chs. dist. &
 an Ash 12 " " " S 12 E 24 " "
 79.00 to Section Corner

T15 N. R3 E. 2^d Mer. Indiana

West Between Secs 18 & 19, T15 N. R3 E.
 40.00 Set the q^r. Sec. post from which
 a Beech 24 in. dia. bears N 4 E 46 chs. dist. &
 a Do 24 " " " S 7 E 45 " "
 65.75 Intersected the ~~W.~~ boundary 5 chs. S. of post
 Set a post from which
 a Beech 14 in. dia. bears N 21 E 29. chs. dist. &
 an Ash 3 " " " S 30 W 15 " "
 Land 2^d. rate timber Oak, Beech, Sugar, Elm, &

North Between Secs 17 & 18, T15 N. R3 E.
 6.95 a W. Oak 30 in. dia. " "
 23.25 an Elm 24 " "
 40.00 Set the q^r. Sec. post, from which
 a Hickory 18 in. dia. bears N 68 E 29 chs. dist. &
 a Do 10 " " " N 46 W 6 " " (land flat)
 55.60 a Buckeye 12 " "
 69.50 a Do 12 " "
 80.00 Set a post Cor. to Secs 7, 8, 17 & 18, from which
 a P. Oak 6 in. dia. bears N 30 E 19 chs. dist. &
 a Buckeye 12 " " " S 56 W 27 " "
 Land 2^d. rate, last 1/2 mile Beech, Oak & Hickory

East On Rand. between Secs 8 & 17, T15 N. R3 E.
 40.00 Set temp^y. q^r. Sec. post
 78.75 Intersected the N & S. line 15 chs. N. of post
 Land 1st. rate, timber Sugar, Ash, Beech, Spice
 Prickly Ash &c.

West On true line between Secs 8 & 17, T15 N. R3 E.
 39.37 1/2 Set q^r. Sec. post at average dist. from which
 an Elm 12 in. dia. bears N 58 W 9 chs. dist. &
 a Buckeye 8 " " " N 84 E 8 " "

T15 N. R3 E. 2^d Mer. Indiana

78.75 to Sec. Corner.

West Between Secs. 7 & 18, T15 N. R3 E.

40.00 Set the q. Sec. post, from which
a Beech 14 in. dia. bray S30 E 31 lks. dist. of
a Sugar 12 " " " N27 W 15 " "65.79 Intersected the N. boundary 8 lks. S. of post
Set a post Cor. to Secs. 7 & 18, from which
a B. Walnut 20 in. dia. bray N28 W 25 lks. dist. of
a Hickory 6 " " " S63 E 8 " "
Land 2^d rate Beech, Oak, Ash &c.

North Between Secs. 7 & 8, T15 N. R3 E.

17.00 an Elm 14 in. dia.

40.00 Set the q. Sec. post, from which
a Sugar 18 in. dia. bray N79 E 5 lks. dist. of
a Beech 14 " " " S83 W 31 " "

44.00 an Elm 18 " "

76.00 a Sugar 30 " "

80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
a W. Walnut 12 in. dia. bray S25 W 1.30 lks. dist. of
a Sycamore 24 " " " N3 E 1.10 " "
Land 2^d rate, Beech, Sugar, Oak, Elm &c.

East On Rand. betw. Secs. 5 & 8, T15 N. R3 E.

17.50 a stream 25 lks. wide Course N.E.

40.00 Set temp. q. Sec. post

78.50 Intersected the N. & E. line at the post
Land 2^d rate, Sugar, Beech, Lym, Elm &c.

West On true line between Secs. 5 & 8, T15 N. R3 E.

39.25 Set q. Sec. post at average dist. from which
a Sugar 12 in. dia. bray N16 E 24 lks. dist. of

T15 N R3 E. 2^d Mer. Indiana

a Buckeye 3 in. dia. bray N60W 13 lks. dist.
78.50 to Sec. Corner.

Met Between Sec. 6 & 7, T15 N. R3 E.
40.00 Let the gr. Sec. post, from which
a Hickory 8 in. dia. bray N62W 9 lks. dist. of
a do 3 " " " N80E 17 " "
67.32 Intersected the W. boundary 5 lks. S. of post
Let a post Cor. to Sec. 6 & 7, from which
a Sugar 12 in. dia. bray N5E 25 lks. dist. of
a Beech 18 " " " S42W 13 " "
Land 2^d rate flaky inclining to be Swamp.

North Between Sec. 5 & 6, T15 N. R3 E.
3.00 a Lycamore 36 in. dia.
6.50 an Ash 24 in. dia.
27.00 a Stream 25 lks. wide Course S. W
35.50 Same 25 " " " N. E.
40.00 Let the gr. Sec. post, from which
a Lycamore 36 in. dia. bray South 13 lks. dist. of
a B. Walnut 24 " " " S87W 33 " "
86.50 Intersected the N. boundary 1.85 lks. E. of post
Let a post Cor. to Sec. 5 & 6, from which
a Buckeye 3 in. dia. bray N60W 15 lks. dist. of
a Hickory 12 " " " S80E 21 " "
Land 2^d rate (Some time in the year 1820)

Meanders of the Left bank of White River
Commencing at a post in the South boundary
thence up stream.

N9E	5.00	In Sec. 32, T15 N. R3 E.
N28E	5.00	
N31E	10.50	

T15N R3E 2^d Mer. Indiana

N7E	4.00	
N32W	6.50	
N17E	6.00	
N40E	13.00	
N59E	12.50	
N47E	1.50	to line between Sec. 32 & 33

N50E	4.50	in Sec. 33, T15N. R3E.
N31E	9.50	
N15E	12.00	
N27W	4.45	to line between Sec. 28 & 33

N18W	7.50	
N66W	9.00	
N52W	1.52	to line between Sec. 28 & 29

N69W	2.50	in Sec. 29, T15N. R3E.
N30W	1.50	
North	4.50	
N41W	5.00	
N20E	3.50	
N52E	3.00	
N85E	1.50	
N80 1/2 E	0.85	to line between Sec. 28 & 29

N84E	10.00	in Sec. 28, T15N. R3E.
N62E	8.00	
N42E	17.00	
N53E	6.50	
N78E	3.50	
N69E	5.00	
N46E	5.00	
N14E	6.00	

N 15 N R 3 E. 2nd Mer. Indiana

N 109 N 16.00

N 86 E 7.50

N 43 E 4.00

N 28 E 13.50

N 53 E 13.50

East 7.00

N 70 1/2 E 2.85 to line between Sec. 27 & 28

N 71 E 4.50 In Sec. 27, N 15 N R 3 E.

N 51 E 6.00

N 35 E 5.50

N 49 E 6.90

N 36 E 8.50

N 30 N 9.00

N 49 N 5.00

N 72 N 7.80

N 29 N 2.00

N 22 N 5.78 to line between Sec. 27 & 28

North 4.53 Run up North line

N 33 E 6.00 in Sec. 27 again

N 81 E 15.00

N 64 E 8.50

N 35 E 5.00

N 15 E 7.87 to line between Sec. 22 & 27

North 8.00 at 5.00 a stream 10 M. wide E. Course

N 21 N 11.00 In Sec 22. N 15 N R 3 E.

N 39 N 4.00

N 14 E 5.00

N 27 E 8.50

N 19 E 6.00

N 29 E 11.00

N 2 E 6.50

117

T¹⁵N R³E. 2^d Mer. Indiana

N47E	6.50	
N66E	13.50	
S83E	6.50	
S33E	5.50	
S27W	5.00	
S60W	7.50	
S29W	5.00	
S3E	11.00	
S20E	10.00	
S53E	5.50	
N88E	7.50	
N77E	5.00	
N62E	2.37	to line between Sec. 22 of 23

N71E	5.00	at 3.25 a Stream 10 lks. wide Cr. S.
N41E	9.00	In Sec. 23, T ¹⁵ N. R ³ E.
N22E	3.50	
N38E	3.00	
N22E	22.50	at 3.50 a Spring Course N.E.
N34E	9.50	
N22E	8.50	
N30E	3.75	to line between Sec. 14 of 23

N28E	12.00	In Sec. 14, T ¹⁵ N. R ³ E.
N57E	9.00	
N37E	4.50	
N22E	6.50	
North	9.50	
N27W	6.00	
N55W	1.50	at 50 lks. a Spring N.E.
N38W	5.50	
S88W	9.00	
N69W	11.50	

78 118

T15 N. R3 E. 2nd Mer. Indiana

N42 W	8.00	Point of Island S80 W
N4 W	8.50	
N29 W	6.00	Head of Island
N18 W	10.00	
N36 W	2.00	to line between Sec. 1. M & 14

N11 W	3.00	In Sec. M. T15 N. R3 E.
N37 W	3.00	
N34 E	3.00	
N25 E	4.50	
N56 E	9.00	
East	3.00	
N75 E	8.00	
N43 E	5.00	
North	4.00	
N30 W	5.00	
N66 W	21.50	
N22 W	4.00	
North	4.00	Point of Island
N29 E	4.00	
N35 E	3.50	Head of Island
N16 E	5.00	
N37 W	5.75	
N35 E	6.00	
N15 E	8.00	
N3 E	3.50	
N5 1/2 E	1.92	to line between Sec. 2 & 11

N10 W	2.00	In Sec. 2, T15 N. R3 E.
N29 W	5.00	
N37 W	8.00	
N56 W	4.00	
N45 W	3.00	

T15 N R3 E 2^d Mer. Indiana

119th

N78W 6.00

N88W 4.57 to Line between Sec. 2 & 3.

In Sec. 3, T15 N R3 E.

N79W 8.50 at 2.50 Mouth of Fall Creek, from the N.
50 lbs wide

N88W 5.00

N77W 7.50

N54W 16.50

N35W 11.00

N30W 2.00

N23W 2.00

N40W 3.00

N24W 7.00

N19W 3.50

N29W 10.50

N6W 3.00

N7 E 3.00

N22 E 4.00

N31 E 4.50

N38 E 2.11 Intersected the N. boundary of T15 N R3 E.

Meander of the Right bank of White River
from a post in N. boundary of T15 N R3 E.
thence down stream.

S39W 6.50 in Sec. 3, T15 N R3 E.

S5 E 10.50

S19 E 5.32

S31 E 3.50

S18 E 10.00

S24 E 4.75

S45 E 1.50

S25 E 3.50

S39 E 2.50

T¹⁵ N. R3 E. 2^d. Mer. Indiana

S29 E	2.00	
S39 E	10.00	
S53 E	13.00	
S65 E	2.50	
S53 E	3.50	
S73 E	4.50	
East	2.00	
S77 E	6.00	
East	7.00	Intersected line between Sec. 2 & 3

S69 E	9.50	In Sec. 2, T ¹⁵ N. R3 E.
S52 E	9.50	
S19 1/2 E	5.00	Intersected line between Sec. 2 & 11

S 9 N	10.50	In Sec. 11, T ¹⁵ N. R3 E
S 39 N	10.00	
S 20 N	3.50	
S 37 N	3.50	
S 9 E	9.00	
S 29 E	8.00	
S 15 E	4.50	
S 50 E	5.00	
S 59 E	4.50	
S 68 E	10.00	
S 80 E	2.00	
S 55 E	3.00	
S 55 N	4.50	
S 85 N	7.00	
S 68 N	5.00	
S 48 N	10.00	
S 32 N	2.00	
S 8 N	9.50	
S 14 E	2.30	Intersected the line between Sec. 14 & 11

T15 N - R3 E. 2^d. Mer. Indiana

S18 E	10.00	In Sec. 14, T15 N. R3 E
S9 W	5.00	
S18 E	14.00	
S39 E	10.00	
S75 E	5.00	
N30 E	5.00	
S80 E	4.00	
S55	5.00	
S85 E	5.00	
S70 E	5.00	
S25 E	7.50	
S7 W	9.00	
S53 W	15.00	
S55 W	12.00	
S8 W	3.43	Intersected line between Sec. 14 & 23.

S33 W	8.00	In Sec. 23, T15 N. R3 E
S17 W	4.50	
S33 W	15.00	
S14 W	1.50	
S22 W	20.00	
S51 W	9.00	
S74 W	1.84	Intersected line between Sec. 22 & 23.

S72 W	10.50	In Sec. 22, T15 N. R3 E
N75 W	5.50	
N14 W	16.00	
N34 E	5.00	
N58 E	7.50	
N16 E	10.00	
N44 W	7.50	
N64 W	6.00	
S79 W	8.50	

T15 N. R3 E, 2nd Mer. Indiana

S52 W	51.00	
S63 W	8.00	
S35 W	10.00	
S18 W	20.00	
S25 W	7.50	
S9 W	12.00	
S11 1/2 E	18.72	Intersected line between Secs. 22 & 27.

S15 W	6.50	In Sec 27, T15 N. R3 E.
S42 W	10.00	
S70 W	18.50	at 14.50 a stream 25 ft. wide N.E.
S46 W	5.00	
S29 1/2 W	0.72	Intersected line between Secs. 27 & 28.

S35 W	7.00	In Sec. 28, T15 N. R3 E
S3 E	11.50	
S45 E	3.50	
S30 1/2 E	1.58	Intersected line between Secs. 27 & 28.

S55 E	5.00	In Sec. 27 again
S69 E	12.00	
S8 E	4.50	
S40 W	5.50	
S48 W	4.00	
S35 W	4.00	
S58 W	6.50	Intersected line between Secs. 27 & 28.

S87 W	7.00	In Sec. 28, T15 N. R3 E.
N67 W	9.50	
N26 W	15.50	
N62 W	5.00	
N57 W	4.00	
N87 W	6.50	

N 15 N R 3 E, 2nd Mer. Indiana

N 47 W	9.00	
S 23 E	9.00	
S 7 E	5.00	
S 3 W	3.50	
S 28 W	3.50	
S 72 W	2.50	
N 73 W	6.00	
N 43 W	6.50	
N 35 W	4.50	
N 52 W	5.50	
N 70 W	13.47	Intersected line between Sec. 28 & 29.

S 63 W	6.50	In Sec 29, N 15 N R 3 E.
S 39 W	3.50	
S 29 W	3.50	
S 2 W	3.00	
S 13 E	5.00	
S 32 E	4.83	Intersected line between Sec. 28 & 29.

S 63 E	8.00	In Sec. 28 again
S 1 W	2.40	Intersected line between Sec. 28 & 33.

South	6.50	in Sec. 33, N 15 N R 3 E.
S 19 W	7.50	
S 35 1/2 W	7.50	Intersected line between Sec. 32 & 33.

S 42 W	8.00	In Sec. 32, N 15 N R 3 E
S 63 W	7.50	Head of Island
S 80 W	4.50	
S 36 W	4.00	Point of Island
S 45 W	5.00	
S 30 W	12.50	
S 1 W	11.50	

T15 N. R3 E, 2^d. Mer. Indiana

S 12 E 4.00

S 29.4 W 14.50

S 2 W 3.50

S 7 E 1.15

at 13.50 a stream 5 lbs. wide Cr. West.

Intersected line between T14 & 15 N
Range 3 E. 2^d. Mer. Indiana

Surveyed in 1820 by Wm. B. Laughlin, R. S.

Comp^d

I Certify that the foregoing transcript of field notes of
Township N. 15 N. of Range N. 3 E. 2^d. Mer. Indiana
has been Comp. with the original notes in this office
and found to be Correct.

Surveyor General's Office
Cincinnati, June 2^d. 1841

O. B. Fairer
Surv. Genl.